

**SPECIFICATION**

<b>FABRIC:</b>	<b>Style 83 Proban® / FR-7A®</b> <b>100% Cotton</b> <b>Welder's Sateen</b>
<b>WIDTH</b> – (Inches, Minimum, Selvedge included): ASTM D3774	61
<b>YARNS PER INCH</b> – (Minimum, Warp and Fill): ASTM D3775	85 x 45
<b>WEIGHT</b> – (Oz/sq yd, Minimum): ASTM D3776	9.0
<b>BREAKING STRENGTH</b> – (Pounds, Minimum, Warp and Fill): ASTM D5034	110 x 70
<b>TEARING STRENGTH</b> – (Pounds, Minimum, Warp and Fill): ASTM D1424	5.0 x 5.0
<b>SHRINKAGE</b> – (% , Maximum): Federal Test Method Standard 191A Method 5550 Warp and Fill	3.0
<b>FLAMMABILITY:</b> ASTM D 6413	
After Flame, Seconds (Maximum)	2.0
Char Length, Inches (Maximum)	5.0

**FR-7A®** is a trademark of Westex Inc.  
**PROBAN®** is a trademark of Rhodia